

TEST REPORT



Report No. : 20-007476-01-1

Page of Pages : (1) / (2)



1. Client

Name : Dadam Micro Inc.

Address : B-502 Pangyo InnoValley, 253 Pangyo-ro, Bundang-gu, Seongnam, 13486, Korea

Date of Receipt : 2020. 02. 04.

2. Use of Report : For submission of subject

3. Test Sample

Description : puripot

Manufacturer : Dadam Micro Inc.

Model Name : F1

Serial Number : ***

Remark : ***

4. Date of Test : 2020. 01. 17. ~ 2020. 01. 18.

5. Location of Test :

☒ KTL Permanent Test Lab (Address : 87, Digital-ro 26-gil, Guro-gu, Seoul, KOREA)

☐ On Site Testing



6. Test Standard/Method : KS C 9314:2013

7. Test Results : Refer to the attached results

Note : 1. This report is limited to samples submitted by the applicant and is prohibited from being used for legal or other reasons of dispute.

2. This document is valid only in its original document, and any reproduced copies and electronic copies are not valid. ("Original" means all the reports provided by the KTL including the security procedures.)

3. You can check the contents of the report by scanning the 2D Barcode below. The identity of original reports can be checked in the "Confirm original report" window of the customer's homepage (customer.ktl.re.kr).


Affirmation	Tested by	 (Signature)	Technical Manager	 (Signature)
	Name : Park seo-hyun			

2020. 01. 20.

Korea Testing Laboratory

87, Digital-ro 26-gil, Guro-gu, Seoul, KOREA Tel.+82-2-860-1139 Fax. +82-2-860-1689

FP204-03-06



※ 위 마크는 추후 전자확인증 대조 프로그램에서 원본대조시 사용되는 2D코드입니다.

Test Results

1. O₃ Test Results

Product name	Results (Maximum value)	
	ppm	mg/m ³
puripot	0.009	0.018

2. Test Chamber and Measuring Equipment

Test Chamber	Measuring Equipment		
	Name	Manufacturer	Model
30 m ³	Ozone analyzer	Teledyne API, Inc	400E



3. Test Method and Conditions

Test method	Conditions	Temp.	Humidity	Test time	Distance	Test mode
KS C 9314:2013		(21 ± 3) °C	(40 ± 5) % R.H.	24 hour	5 cm	stage 3

4. Unit Photograph

- End of document -

FP204-04-02



※ 위 마크는 추후 전자확인증 대조 프로그램에서 원본대조시 사용되는 2D코드입니다.